


AD-A239 292

ART DOCUMENTATION PAGE

1a. F		1b. RESTRICTIVE MARKINGS	
2a. S		3. DISTRIBUTION / AVAILABILITY OF REPORT Approved for public release; distribution unlimited.	
2b. DECLASSIFICATION / DOWNGRADING SCHEDULE		4. PERFORMING ORGANIZATION REPORT NUMBER(S)	
5. MONITORING ORGANIZATION REPORT NUMBER(S) AFOSR 91-011 AFOSR-TR 01 0688		6a. NAME OF PERFORMING ORGANIZATION University of Delaware	
6b. OFFICE SYMBOL (If applicable)		7a. NAME OF MONITORING ORGANIZATION AFOSR	
6c. ADDRESS (City, State, and ZIP Code) Department of Mathematical Sciences Newark, DE 19716-2553		7b. ADDRESS (City, State, and ZIP Code) AFOSR-TR 01 0688	
8a. NAME OF FUNDING / SPONSORING ORGANIZATION AFOSR/DR		8b. OFFICE SYMBOL (If applicable)	
9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER AFOSR 91-0113		10. SOURCE OF FUNDING NUMBERS	
8c. ADDRESS (City, State, and ZIP Code) AFOSR/DR Bldg 410 Bolling AFB DC 20332-6449		PROGRAM ELEMENT NO. 61102F	PROJECT NO. 2304
11. TITLE (Include Security Classification) MATHEMATICAL PROBLEMS IN TRANSONIC FLOW		TASK NO. A4	WORK UNIT ACCESSION NO.
12. PERSONAL AUTHOR(S) L. Pamela Cook-Ioannidis			
13a. TYPE OF REPORT Final	13b. TIME COVERED FROM 12/1/90 TO 5/31/91	14. DATE OF REPORT (Year, Month, Day) July 15, 1991	15. PAGE COUNT 2
16. SUPPLEMENTARY NOTATION			
17. COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)	
FIELD	GROUP	SUB-GROUP	
19. ABSTRACT (Continue on reverse if necessary and identify by block number)			
<p>This research was a continuation of the PI's studies of transonic flow about two and three-dimensional lifting wings. The work was carried out in close collaboration with Prof. J.D. Cole, Rensselaer Polytechnic Institute. The investigations were carried out within the framework of small disturbance theory. Flows about "not-so-slender" wings were investigated, chokes wind tunnel flows were analyzed, and the question of the perturbation of shock free flows was considered. In addition a minisymposium for ICIAM'91 was organized around these topics, and the contributions are to be organized as a SIAM monograph.</p>			
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT <input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input checked="" type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS		21. ABSTRACT SECURITY CLASSIFICATION	
22a. NAME OF RESPONSIBLE INDIVIDUAL		22b. TELEPHONE (Include Area Code)	22c. OFFICE SYMBOL

DISCLAIMER NOTICE



THIS DOCUMENT IS BEST
QUALITY AVAILABLE. THE COPY
FURNISHED TO DTIC CONTAINED
A SIGNIFICANT NUMBER OF
PAGES WHICH DO NOT
REPRODUCE LEGIBLY.

Mathematical Problems in Transonic Flow
L. Pamela Cook-Ioannidis

AFOSR-91-0113 Final Report

This research was a continuation of the PI's studies of transonic flow about two and three-dimensional lifting wings. The work was carried out in close collaboration with Prof. J.D. Cole, Rensselaer Polytechnic Institute. The investigations were carried out within the framework of small disturbance theory. Flows about "not-so-slender" wings were investigated, choked wind tunnel flows were analyzed, and the question of the perturbation of shock free flows was considered. In addition a minisymposium for ICIAM '91 was organized around these topics, and the contributions are to be organized as a SIAM monograph. [5]

The transonic area rule connects the drag of a wing/body with that of an equivalent body of revolution. The rule was enunciated by Whitcomb based on experiment, and later, based on slender wing analysis, clarified by Oswatitsch and Keune, among others. In our paper [2] using the method of matched asymptotic expansions we provided a systematic derivation of the area rule and we showed how to calculate corrections due to the fact that the wing is not "slender" but rather has an aspect ratio of order one (where the thickness is order δ much less than one). The work in that paper was for a nonlifting wing, we are currently carrying out the analysis for lifting wings.

Choked flow in a wide wind tunnel was analyzed earlier by Cole and Cook. The Mach number in that event is close to one so that analysis similar to that for the Stabilization Law, gave the dependence of the choking Mach number on the wind tunnel height. For the two-dimensional case all parameters could be determined in terms of the airfoil shape, but for the axisymmetric case they could not due to the nonexistence of axisymmetric conservation laws at this time. In the work in progress with Schleinger [4] (to be presented at ICIAM '91) the choking Mach number is computed numerically directly for a double wedge airfoil. Further work will consider other airfoil shapes, axisymmetric wings, and hopefully axisymmetric conservation laws.

Investigations have also been carried out into the perturbation of shock free flows. In this respect some analysis of the Tricomi problems is presently being carried out.

Papers 1991

91-06922



1. Transonics and asymptotics, in Asymptotic Analysis and the Numerical Solution of Partial Differential Equations (ed. Kaper, Garbey), Lecture notes in pure and applied mathematics, Marcel Dekker, appeared 1991, pp.145-160.
2. Asymptotic theory of the transonic area rule (with J.D.Cole) to appear in Mathematical Approaches in Hydrodynamics, M.P. Tulin anniversary volume, SIAM publica-

tions, 1991.

3. The inlet layer in the flow of viscoelastic fluids (with Schleiniger), to appear in J. of Non-Newtonian Fluid Mechanics.
4. Choked wind tunnel flow: a numerical treatment (with Schleiniger) in preparation. (to be presented at ICIAM 1991, minisymposium on Transonic Aerodynamics).
5. Transonic Aerodynamics, in Frontiers in Applied Mathematics, SIAM Publications. proceedings of the minisymposium at ICIAM '91, in preparation.



✓

A-1